

# Accu-Tab®

## Calcium Hypochlorite Wastewater Tablets

**Accu-Tab wastewater tablets are formulated to be readily soluble in water and are a powerful disinfectant for residential and municipal applications:**

- Individual home aerobic systems
- Small community wastewater plants
- Apartment and mobile home complexes
- Commercial wastewater systems
- Remote site wastewater plants

**Accu-Tab** wastewater tablets are registered with the United States EPA and certified to NSF/ANSI standard 60.

### Accu-Tab Wastewater Tablets:

- Contain calcium hypochlorite: which is less corrosive and has a more neutral pH than other types of chlorine
- Are 2 1/2", fitting into most standard tablet feeder systems
- Contain a minimum of 73% available chlorine
- Do not contain stearates
- Do not contain cyanuric acid (CYA), eliminating the threat of over stabilization
- Provide a slow, steady and consistent chlorine dose
- Are designed with a smaller, beveled-edge to minimize wicking
- Disinfect - killing unwanted bacteria prior to discharge
- Require no mixing of chemicals or solutions
- Minimize storage space with convenient, stackable pails
- Are manufactured in the USA, do not contain foreign ingredients



The products mentioned here can be hazardous if not properly used. It is recommended that before anyone uses or handles the products mentioned herein, he or she read and understand the precautionary and other information on the product label, as well as in the safety data sheet.

### Residential/Municipal Suggested Dosage Rates:

Size	Dosage
500 GPD	1/8 tablet per day, 4 1/2 tablets per month
1,000 GPD	1/4 tablet per day, 7 1/2 tablets per month
1,500 GPD	1/2 tablet per day, 15 tablets per month
5,000 GPD	1 1/2 tablets per day, 45 tablets per month
10,000 GPD	3 tablets per day, 90 tablets per month
50,000 GPD	17 tablets per day, 510 tablets per month
250,000 GPD	82 tablets per day, 2460 tablets per month

\* Additional dosage guidelines can be found on the product label.



Note: Suggested dosage rates are for estimation purposes and in no way guarantee actual usage rates. Many factors other than flow rate can contribute to chemical usage rates such as pH, turbidity, water temperature, etc.

Available in 10 lb, 45 lb and 100 lb pails